

Kiwa K26261/01
(consideraciones apolo)

La homologación Kiwa certifica que la abrazadera es adecuada para la sujeción de tubos de plástico y cobre para la conducción de

agua fría y caliente hasta 90°C

The Kiwa certification guarantee that Abranyl® can be used for fastening plastic and copper pipes in installations of

Cold and hot water since 90°C



Resistencia abrazaderas <i>Clamp loads</i>			
Abranyl ® (mm)	Resistencia Certificada por Kiwa condiciones normales 23°C <i>Tension loads at 23°C Certified by Kiwa laboratories (kg)</i>	Valor recomendado aplicación a 90°C <i>Tension loads recommended for apolo (kg)</i>	Valor rotura <i>Ultimate load (kg)</i>
10	9	5	30
12			
14			
15 - 16	19	10	45
18 - 20		12	
22 - 25		16	
26 - 28			
30 - 32			
35 - 40	38	19	
47 - 50			

En condiciones normales 23°C:

- Se recomienda una distancia de 1.5 m para instalaciones eléctricas y 1m en instalaciones hidrosanitarias en posición horizontal.
- En posición vertical se recomienda una distancia de 2 m para instalaciones y 1.3m en instalaciones hidrosanitarias.

At 23°C

Horizontal position

- Electrical installations: maximum distance of 1.5m recommended.
- Plumbing installations: maximum distance of 1 m recommended.

Vertical position

- Electrical installations: maximum distance of 2m recommended.
- Plumbing installations: maximum distance of 1.3 m recommended

En condiciones a 90°C:

- Se recomienda una distancia de 0.7m en instalaciones hidrosanitarias en posición horizontal y 1m en posición vertical.

At 90°C

- Horizontal position: maximum distance of 0.7 m recommended.
- Vertical position: maximum distance of 1 m recommended.

Number	K 26261/01	Replaces	-
Issued	2005-01-01	Dated	-

Product Certificate


Plastic pipe clips for copper and plastic water pipes

Based on pre-certification tests as well as periodic inspections by Kiwa, the products referred to in this certificate and marked with the Kiwa-mark as indicated under 'Marking', supplied by

Apolo Fijaciones y Herramientas S.L.

may, on delivery, be relied upon to comply with Kiwa evaluation guideline BRL-K506/01 "Plastic pipe clips for copper and plastic water pipes".

Kiwa N.V.



ing. B. Meekma
Director,
Certification and Inspection

This certificate is issued in accordance with the Kiwa-Regulations for Product Certification.

This certificate consists of 3 pages.

Publication of the certificate is allowed.

Kiwa N.V.
Certification and Inspection
Sir W. Churchill-laan 273
Postbus 70
2280 AB Rijswijk
The Netherlands

Telephone +31 70 41 44 400
Telefax +31 70 41 44 420
Internet www.kiwa.nl

Company

Apolo Fijaciones y Herramientas S.L.
Garrotxa 10-22
08211 CASTELLAR DEL VALLÈS
Spain

Telephone +34 93 747 33 33
Telefax +34 93 747 33 37
Internet www.apolo.es